

SPECIAL



WITHIN THIS SECTION YOU CAN FIND SPECIAL GLOVES INTENDED FOR MORE SPECIFIC ENVIRONMENTS OR WORK, SUCH AS FORESTERS, MOTORISTS, FIREFIGHTERS, ANTI-PUNCTURE, ANTI-IMPACT, ANTI-VIBRATION AND GLOVES FOR CHILDREN.



MT140 POWER CUT

Waterproof full grain cowhide with elastic cuff and anti-cut protection by chain saw on the back.

FEATURES

- Extra quality leather, excellent touch. Sewn with Kevlar® thread.
- Water repellent, waterproof treatment.
- Interior reinforcement on the back of 14 layers of chain saw resistant material with a layer of Kevlar lining and another layer of canvas fabric (left hand only).
- Reinforcement on the right palm with interior foam and back reinforced with yellow split leather.
- Design A (without finger protection for chain saw cuts).
- Elastic polyester cuff and vein cover on the palm.
- Certified under standard EN381-7:1999 protection against cutting by chain saws in Class 2 (chain speed 24 m/s).
- Individual neutral bag.

Sizes: 8 / 9 / 10 / 11

Thick cuir: 1.1 - 1.2 mm



USES

Chain saw operations



HMT180 GARDEN POWER CUT

Full-grain goat leather reinforced with cowhide and buffalo split leather with inner elastic cuff and cuff. Anti-cut protection by chain saw on back and fingers.

FEATURES

- Extra quality leather, excellent touch.
- Water repellent, waterproof treatment.
- Leather reinforcement on the back, 16-layer interior reinforcement of different synthetic fabrics.
- Palm with Kevlar® interior and buffalo reinforcement.
- Inner nylon elastic cuff and adjustable strap closure on cuff for added fit. Sewn with Kevlar® thread.
- Protection in both hands.
- Certified under standard EN381-7:1999 protection against cutting by chain saws, Class 2 (chain speed 24 m/s).
- With individual recycled header card for retail.

Sizes: 8 / 9 / 10 / 11

Thick palm and back: 0,80 - 0,90 mm

Thickness in sleeve: 1,20 - 1,30 in sleeve



HMT180 Individual Header Card



MT180

Ref.: MT180 UNTIL STOCKS END

**NEW**

MT160/HMT160 POWER CUT

Goat skin chainsaw safety gloves reinforced on palm and elasticated wrist. Cut protection layers against chainsaw injuries on the back, only left hands.

FEATURES

- Natural goat skin provides excellent touch, flexibility and softness.
- Flexible fabric panels on the areas of higher movement to enhance the tool handling.
- 26 layers of cut protection material inserted into the back of the left hand.
- Sewn with Kevlar® thread.
- Elasticated Nylon and neoprene cuffs with adjustable width closure.
- Goat skin reinforcements on palm and thumb to improve protection on the main friction areas.
- Double stitching all around reinforcements.
- Available with individual recycled header card for retail (HMT160).

Sizes **MT160**: 7 / 8 / 9 / 10 / 11 / 12

Sizes **HMT160**: 7 / 8 / 9 / 10

Thick cuir: 0,8 mm




USES

Working with chainsaw



HMT160
Individual
Header Card

**NEW**

MT170RF POWER CUT

Goat skin chainsaw safety gloves reinforced on palm and elasticated wrist. Cut protection layers against chainsaw injuries on the back, only left hands.

FEATURES

- 30 layers of cut protection material inserted into the back of the left hand.
- Sewn with Kevlar® thread.
- Leather reinforcement in the area between the thumb and forefinger.
- The natural goatskin provides an excellent touch, flexibility and softness.
- Elastic fabric inserts in the areas with joints, areas of greater mobility, for better handling of the tools.
- Goatskin reinforcement on the palm and thumb, areas of greatest friction, to protect the hand and increase the durability of the glove.
- Elasticated nylon and neoprene cuff with hook and loop closure.
- Fluor orange color identifying chainsaw operators.

Sizes **MT170**: 7 / 8 / 9 / 10 / 11 / 12

Thick cuir: 0,8 mm



USES

Working with chainsaw



H204FSML
Individual Header CardGarden
JUBA

EN388:2016
+A1:2018 EN407:2020

CE CAT.II 4244X 41424X

204RPL40FR

Split leather dockers glove double on palm and knuckles. Inner cotton sleeve.

FEATURES

- Extra quality leather. Lined in palm.
- Excellent resistance to abrasion so it offers great durability.
- Reinforced knuckles, palm and thumb for extra protection in the areas of greatest wear.
- Inner cotton elastic cuff, better fit.
- Adjustable strap on the cuff.
- Carabiner to hang the gloves.
- Resistance to contact heat (100°C for 15"), excellent behavior against flame, convective heat and small splashes of molten metal.
- Plush cotton lining on the palm for greater comfort.
- Individual neutral bag.

Sizes: 7 / 8 / 9 / 10 / 11
Length: 35 cm
Thickness: 1,20 - 1,40 mm



USES

Forestry work for environmental conservation / Clearing Reforestation / Pruning work



EN388:2016
+A1:2018 EN407:2020

CE CAT.II 2122X 41324X EN12477:2001
+A1:2005 TYPE B

204FSML/H204FSML

Waterproof full-grain cowhide leather on the palm, index finger and thumb. Split leather back and cuff.

FEATURES

- The grain leather of the cow offers an excellent touch and water repellency thanks to its waterproof treatment.
- Sewn with para-aramid fiber thread, Kevlar®.
- Reinforced knuckles for greater protection.
- Carabiner to hang the gloves.
- Resistance to contact heat (100°C for 15"), excellent behavior to flame, convective heat and small splashes of molten metal.
- Meets EN12477: 2001 + A1: 2005 standard.
- Vein Cover.
- Protective gloves for welders. Type B.
- Individual neutral bag.
- Available with individual recycled header card for retail (H204FSML).

Sizes 204FSML: 7 / 8 / 9 / 10 / 11
Sizes H204FSML: 8 / 9 / 10
Length: 31 / 32 / 33 / 34 / 35 cm
Thick cow: 0,8 - 1,0 mm
Thick split leather: 1,2 - 1,4 mm



USES

Forestry and environmental conservation work / Sbrushed / Repopulations / Pruning work



EN388:2016
+A1:2018 EN407:2020

CE CAT.II 2131X 41324X EN12477:2001
+A1:2005 TYPE B

204FML

Waterproof cowhide grain leather with split leather cuff. Inner elastic cuff.

FEATURES

- The grain leather of the cow offers an excellent touch and water repellency thanks to its waterproof treatment.
- Sewn with para-aramid fiber thread, Kevlar®.
- Reinforced knuckles for greater protection.
- Interior elastic cuff and velcro for a better fit.
- Carabiner to hang the gloves.
- Resistance to contact heat (100°C for 15"), excellent behavior to flame, convective heat and small splashes of molten metal.
- Vein Cover.
- Meets EN12477: 2001 + A1: 2005 standard.
- Protective gloves for welders. Type B (Better touch).
- Individual neutral bag.

Sizes: 7 / 8 / 9 / 10 / 11
Length: 31 / 32 / 33 / 34 / 35 cm
Thick cow: 1,0 - 1,2 mm
Thick split leather: 1,2 - 1,4 mm




USES

Forestry and environmental conservation work / Sbrushed / Repopulations / Pruning work



NEW



204FSFR

Grain / Split cow leather with aramid palm lining.

FEATURES

- Extra quality split leather on the back, wallet and knuckles.
- Extra quality cowhide grain leather on the palm and forefinger.
- Palm lined with aramid fabric that increases its thermal performance and cut protection.
- Split leather protective strip on knuckles.
- Index finger without outer seam for greater comfort.
- Long security wallet (15.5cm-16.5cm) with metallic carabiner.
- Flower skin vein covers.
- Double Kevlar® thread stitching throughout the glove.
- Protected seams with leather trim on the middle fingers on the palm and on the thumb.

Sizes: 7 / 8 / 9 / 10 / 11

Length: 31 / 32 / 33 / 34 / 35 cm

Thick cow: 1,1 - 1,3 mm

Thick split leather: 1,2 - 1,4 mm



USES

Forestry work for environmental conservation / Clearing Reforestation / Pruning work



NEW



NROO IMPACT

HPPE glove mixed with Kevlar® and elastane coating with nitrile foam on palm and anti-impact TPR reinforcements on back.

FEATURES

- NFT nitrile reinforcement between index and thumb for greater resistance to abrasion.
- Compatible for touch screens.
- Superior grip in oily, dry and wet environments.
- NFT nitrile coating that provides 360° breathability.
- Maximum cut resistance level – Level F.
- Resistant to contact heat (100° C for 15”).
- 18 gauge as thin as a second skin.
- Certified for impact protection.
- The Sanitized® hygiene function protects gloves from the formation of fungi, mites and bacteria, prevent odors.

Sizes: 8 / 9 / 10 / 11


Thickness: gauge 18



USES

Glass handling / Automobile industry / Metallurgical industry / Garbage and waste collection / Risk of shocks on the back





311BGC1 FIRE-FIGHTER

Water-repellent cow grain leather glove reinforced on palm, thumb, between thumb and index finger. Fully lined in Kevlar®.

FEATURES

- Extra quality leather.
- HDry inner membrane that provides total impermeability.
- Better insulation without losing breathability.
- Protection against dust particles, chemical substances and greater thermal resistance.
- Pre-curved pattern to increase user comfort.
- Reinforcement between thumb and forefinger, area of greatest wear.
- 100% para-aramid fiber (Kevlar®) elastic lining and cuff with vein covers for added protection.
- Entirely sewn with 100% Kevlar® thread.
- Carabiner to hang the gloves.
- Resistance to contact heat (250°C for 15 seconds), excellent behavior to flame and convective heat.
- Complies with EN659: 2003 + A1: 2008 + AC: 2009 Protective gloves for firefighters.
- Neutral individual bag.

Sizes: 6 / 7 / 8 / 9 / 10 / 11 / 12

Thick cuir: 1,00 mm

USES

Firefighters / Release works / Forestry



5

50



Pre-curved pattern



Waterproof



Sewn with Kevlar® thread




Reinforcement

Cuff with vein covers

Palm reinforcement

Kevlar® lining and cuff



4960 POWER CUT

Needle Resistant Gloves. Polyester with rough latex coating on half of the back with a palm and toe protection stinging fiber fingers

FEATURES

- Seamless.
- Needle protection in the palm of the hand and fingertips.
- The rough latex coating provides excellent adhesion on dry and wet surfaces.
- Breathable.

Sizes: 7 / 8 / 9 / 10

Thickness: gauge 10



USES

Waste and recycling / Waste treatment in hospitals / Laundries / Sewage treatment / Municipal cleaning / Applications where high security is required against very sharp needles and edges



6

72

ANTI-PUNCTURE



ANTI-VIBRATION



H223VR VIBRATION

Polyester seamless glove with foam latex reinforcements on palm.

FEATURES

- Seamless lined glove.
- Dark colour for dirtier environments.
- Foam Latex reinforcement on palm designed to reduce the effects of impacts and vibrations.
- Certified under EN ISO 10819:2013+A1:2019 for mechanical vibrations and shocks.
- With individual recycled header card for retail.

Sizes: 8 / 9 / 10 / 11

Thickness: gauge 7



USES

Pneumatic hammer / Deburring hammer / High power hammers / Manual grinder / Chain saw / Portable grinding wheels / Grinding wheels on pedestal / Vibrating shaker / Asphalt drills / Impact wrenches and pistons



Individual
Header Card



4560IM/H4560IM IMPACT

K-ROCK® glove with nitrile foam palms, TPR impact protection and padded palm. ANTI-IMPACT.

FEATURES

- Very flexible TPR protectors on back and fingers, increase protection on the back area.
- Reinforcement between thumb and index finger.
- Great resistance to abrasion, greater longevity.
- Good grip in dry, slightly humid or oily environments.
- Contact heat resistance 100° C during 15".
- Available with individual recycled header card for retail (H4560IM).

Sizes 45460IM: 7 / 8 / 9 / 10 / 11 - Sizes H45460IM: 8 / 9 / 10 / 11

Thickness: gauge 13



USES

Heavy duty applications / Impact risk / Handling objects with sharp edges / Wind power construction and maintenance / Elevators / Petrochemical industry / Construction / Public works / Quarries / Ceramic industry



H4560IM
Individual Header Card




4560IM

K-ROCK

K-ROCK® is a registered trademark of
JUBA Personal Protective Equipment S.L.

SAFETY EVOLUTION
JUBA

NEW



4550IM IMPACT

K-ROCK® glove with sandy nitrile coating on palm, impact protectors on fingers and back. ANTI-IMPACT.

FEATURES

- Seamless support with K-ROCK® textile technology, which provides touch, lightness, flexibility and comfort, a sensation of freshness due to its great breathability.
- Very flexible TPR protectors on back and fingers, increase protection on the back area.
- Great resistance to abrasion, greater durability.
- Good grip in dry, slightly humid or oily environments.
- Contact heat resistance 100° C during 15”.


Sizes: 7 / 8 / 9 / 10 / 11

Thickness: gauge 13




USES

Heavy duty applications / Impact risk / Handling objects with sharp edges / Wind power construction and maintenance / Elevators / Petrochemical sector / Quarries / Ceramic industry



K-ROCK
K-ROCK® is a registered trademark of
JUBA Personal Protective Equipment S.L.

NEW



MOTORIST CERTIFICATE



H360 BIKER

Goat grain leather with palm reinforcements and anti-impact protection on the back.

FEATURES

- Anti-impact knuckle protector.
- Palm padding reinforcements for extra grip.
- Touchscreen panels on index finger.
- Excellent touch thanks to its manufacture with top-quality full-grain goatskin.
- Complies with the EN13594:2015 standard (Protective gloves for motorcycle riders).
- Individual recycled header card for retail.

Sizes: 7 / 8 / 9 / 10 / 11
Thick cuir: 0,7 – 0,8 mm



USES

Riders / Works that need anti-impact protection.



Individual Header Card

Goat leather

Stretch fabric between fingers

Knuckle protective shell

Reflective strip

Touchscreen panel on index finger

Anti-slip reinforcements
Anti-Vibration pads

Adjustable strap closure


Elasticated wrist



NEW



MOTORIST CERTIFICATE



EN 13594:2015

Individual
Header Card

H370 BIKER

Full grain goatskin winter biker glove with reinforced palm and anti-impact protection on the back.

FEATURES

- Anti-vibration pads on palm. Damping effect.
- The palm with non-slip reinforcements offers excellent grip while driving.
- Touchscreen panels on index finger.
- The soft grain goatskin gives excellent touch and comfort.
- HDry water-proof membrane.
- Complies with the EN13594:2015 standard (protective gloves for motorcycle riders).
- Thermal lining provides superior insulation and comfort.
- Individual recycled header card for retail.

Sizes: 7 / 8 / 9 / 10 / 11 / 12

Thick cuir: 0,7 - 0,8 mm

Length: aprox. 30 cm



USES

Riders / Works that need anti-impact protection.



5

40

Knuckle protective shell

Reflective strip

Touchscreen
panel on index
fingerWaterproof
and breathable
membraneAnti-slip
reinforcements
Anti-Vibration
padsAdjustable
strap closure



CE
CAT.I

Kids
JUBA

H253 GARDEN

Seamless nylon kids glove with crinkle latex on palm.

FEATURES

- Water resistant on palm.
- Solid grip in dry and wet environments.
- Extra quality latex.
- It has an elastic band on the wrist to prevent loss.
- Individual recycled headercard for retail.



Individual
Header Card

Sizes: 4Y (4 to 6 years) / 8Y (8 to 10 years)

Thickness: gauge 13

USES

Collaborate in the care of the garden and orchard with adults / Gloves designed to have fun in contact with nature



CE
CAT.I

Kids
JUBA

H264 GARDEN

Natural latex glove.

FEATURES

- It has a number recorded in each finger to facilitate the numerical learning.
- It contains natural latex and chlorination treatment to prevent an allergic risk.
- Cotton flocked inside for extra comfort and absorption of perspiration.
- Waterproof.
- Anatomical shape.
- Forearm and cuff Protection.
- Individual recycled headercard for retail.

Sizes: 4Y (4 a 6 años)

Length: 25 cm



Individual
Header Card

